




Override key lock

Product characteristics

- Material: stainless steel 1.4301

Technical drawing

IMAGE 1/2: ZLO SCHLOSS VERSCHIEDENSCHLIESSEND / INDIVIDUALSCHLÜSSEL, AUF 0° UND 180° ABZIEHBAR



Technical drawing of the CE 1000 lock assembly, showing side and top views with dimensions and labels.

Side View Dimensions:

- Overall height: 192
- Height of the main body: 144
- Height of the top section: 43
- Height of the bottom section: 22
- Height of the locking mechanism: 67,5
- Width of the main body: 30
- Width of the bottom section: <42>
- Width of the top section: <42>
- Inner diameter of the main body: $\varnothing 39$
- Inner diameter of the top section: $\varnothing 20,5$
- Width of the locking mechanism: 19

Labels:


- Aux. unlocking mechanism (base position)
- Locking screw
- CE

Top View:

- Section line A-A 1:1
- blade
- locked
- direction of rotation
- Mark
- unlocked

Product options

IMAGE 1/2



ZL2 replacement key for lock, simultaneous locking (2 pcs.)

IMAGE 2/2

ORDERING KEY

ZL		Pivot for supporting release
	0	Lock, individual locking / individual key, removable at 0° and 180°
	1	Lock, simultaneous locking / universal key, removable at 0° and 180°
	2	Replacement key for lock, simultaneous locking (2 pcs.)

Article characteristics

Attribute	ZL0	ZL1	ZL2
Dimensions	D 39 x 19 mm		-
Tightening position	2		-
Locking mode	individual locking	simultaneous locking	
Key type	Individual key	Universal key	Replacement key
Housing material	Kunststoff		Stahl rostfrei
Mounting type	screwed		-