



## Atuador magnético 30078 Ø26x11mm

### Especificação Técnica

- Para aplicação em sensores magnéticos
- Instalação simples
- Amplo range de temperatura
- Design higiênico disponível
- Pode ser aplicado em condições ambientais severas devido ao revestimento em aço inoxidável

Desenho técnico

IMAGE 1/1


300780  
300785




Pa6



300780V  
300785V



1.4404



300780VH  
300785VH



1.4404



## Product options

IMAGE 1/1

### ORDERING KEY

| 3007 |    |    | Oxide magnet with housing                      |
|------|----|----|--|
|      | 80 |    | Magnetic field north – plastic housing         |
|      | 80 | V  | Magnetic field north – stainless steel housing |
|      | 80 | VH | Magnetic field north – hygienic version        |
|      | 85 |    | Magnetic field south – plastic housing         |
|      | 85 | V  | Magnetic field south – stainless steel housing |
|      | 85 | VH | Magnetic field north – hygienic version        |

## Características do artigo

| Attribute                  | 300780           | 300780V                                | 300780VH    | 300785           | 300785V                                | 300785VH    |
|----------------------------|------------------|--|-------------|------------------|--|-------------|
| Dimensions                 | Ø 26 / H=11,7    |  | Ø 33 / H=12 | Ø 26 / H=11,7    |  | Ø 33 / H=12 |
| Material                   | PA, hard ferrite | Stainless steel (1.4404), hard ferrite |             | PA, hard ferrite | Stainless steel (1.4404), hard ferrite |             |
| Operating temperature min. | -20 °C           |  |             |                  |  |             |
| Max. operating temperature | 100 °C           | 80 °C                                  |             | 100 °C           | 80 °C                                  |             |
| Mounting type              | Screw            |  | Thread      | Screw            |  | Thread      |
| Thread                     | -                |  | M4x10       | -                |  | M4x10       |